


Lawrenceburg

GPS STATIONS

January, 2016



associate companies and services
THE ENGINEERING GROUP
THE SURVEY COMPANY
LAND DEVELOPMENT CONSULTING
COMMUNITY AND ECONOMIC PLANNING

314 FRONT STREET
LAWRENCEBURG, IN 47025
(812) 537-2145
FAX (812) 537-4901
OHIO (513) 385-2461
TOLL-FREE (888) 537-2145

WWW.LANDCONSUL.COM



**CITY OF LAWRENCEBURG,
INDIANA**

SURVEY CONTROL RECOVERY FORM

PROJECT DATA:		STATION: RESET L-005	
Project Name:	City of Lawrenceburg	Updated by:	GRW May 2004
Established by:	Land Consultants	Date Established:	October 2000/January 2004
HORIZONTAL DATA : Established by Global Satellite Positioning NORTH AMERICAN DATUM 1983 (2006 CORS)			
Geodetic Coordinates:	Latitude 39° 05' 51.0336"	Longitude	84° 50' 49.3203"
State Plane Grid Coordinates (Indiana State Plane Coordinate System, East Zone)			
	Northing (in feet) 1403018.53	Easting (in feet)	560702.49
VERTICAL DATA : NORTH AMERICAN VERTICAL DATUM (NAVD 88 - GPS)			
Note: The elevation of this station was determined by Global Positioning Satellite Surveys and is estimated to be accurate within 0.04± feet.			
Elevation: 468.94 feet			

MONUMENT DESCRIPTION :

City of Lawrenceburg, Dearborn County. Set 36" concrete monument with brass insert stamped Reset L-005. Monument is flush with grade. Monument is located on St. Clair Street in the City of Lawrenceburg.

Section 14 Township 5 N Range 1 W


TO REACH:

City of Lawrenceburg, Dearborn County. Monument is located in the grass strip 3.5'± Westerly from the Westerly curb of St. Clair Street; 11'± Northwesterly of a double gutter inlet; 6'± Northerly from the produced centerline of Dunn Street; 1'± Easterly of East face of walk and 4'± North of the produced North house line of #333 St. Clair Street.

REFERENCES:

North Az	Distance	Reference Description
	11	Northwesterly of Double Gutter Inlet
	6	North of produced centerline Dunn Street
	1	East of East face of walk
	4	North of produced North house line #333

REFERENCE SHEET



GIS MONUMENT
RESET L-005

This is a graphical location only as of 5/2006.

LAND
CONSULTANTS
CONSULTING CORPORATION AND SERVICES
THE ENGINEERING GROUP
THE SURVEY COMPANY
LAND DEVELOPMENT CONSULTING
COMMUNITY AND ECONOMIC PLANNING

314 FRONT STREET
LAWRENCEBURG, IN 47025
(812) 537-2145
FAX (812) 537-4901
OHIO (513) 385-2461
TOLL-FREE (888) 537-2145
WWW.LANDCONSUL.COM

**CITY OF LAWRENCEBURG,
INDIANA**

SURVEY CONTROL RECOVERY FORM

PROJECT DATA:		STATION: L-014
Project Name:	City of Lawrenceburg	
Established by:	Land Sciences Inc.	Date Established: May, 1994 (Revised coordinates & elevation December, 2015)
HORIZONTAL DATA: NORTH AMERICAN DATUM 1983 (NAD '83)		
Geodetic Coordinates:	Latitude 39° 04' 40.4536"	Longitude 84° 53' 39.5017"
State Plane Grid Coordinates (Indiana State Plane Coordinate System, East Zone 1601)		
	Northing (in feet) 1395760.168	Easting (in feet) 547346.627
VERTICAL DATA: NORTH AMERICAN VERTICAL DATUM 1988 (NAVD '88-Geoid 12b)		
Note: The elevation of this station was determined by Global Positioning Satellite Surveys and is estimated to be accurate within 0.05 feet.		
Elevation: 476.71 feet		

MONUMENT DESCRIPTION:

Aurora, Dearborn County. Aluminum cap in a concrete post located in the grass area between the North entrance to River Creek Village and the ditch to the North; approximately 1,100 feet North of US 50 and approximately 60 feet West of Wilson Creek Road.

Section 20 Township 5 N Range 1 W


TO REACH:

From the intersection of Wilson Creek Road with US 50; travel 1,100 feet North along Wilson Creek Road to the North entrance of River Creek Village; turn left into entrance and the monument is on the right; approximately 60 feet West of the centerline of Wilson Creek Road; and approximately 18 off the back of curb of entrance.

REFERENCES:

North Az	Distance	Reference Description
90	11.1	Powerpole #510-971 (Center of Pole)
155	16.8	Back of curb North Entrance to River Creek Village
240	11.1	Centerline concrete side ditch

REFERENCE SHEET



GIS MONUMENT
L-014

**CITY OF LAWRENCEBURG,
INDIANA**

SURVEY CONTROL RECOVERY FORM

PROJECT DATA:		STATION: L-020 (Reset)
Project Name:	City of Lawrenceburg	
Established by:	Land Consultants	Date Established: December, 2015
HORIZONTAL DATA: NORTH AMERICAN DATUM 1983 (NAD '83)		
Geodetic Coordinates:	Latitude 39° 04' 53.6823"	Longitude 84° 52' 19.5733"
State Plane Grid Coordinates (Indiana State Plane Coordinate System, East Zone 1601)		
	Northing (in feet) 1397152.897	Easting (in feet) 553637.969
VERTICAL DATA: NORTH AMERICAN VERTICAL DATUM 1988 (NAVD '88-Geoid 12b)		
Note: The elevation of this station was determined by Global Positioning Satellite Surveys and is estimated to be accurate within 0.05 feet.		
Elevation: 471.01 feet		

MONUMENT DESCRIPTION:

City of Lawrenceburg, Dearborn County. Set 60" iron re-bar in concrete with aluminum cap stamped "City of Lawrenceburg GIS Monument L-020 (Reset). Monument is 0.1'± below grade. Monument is set on the Southern side of an existing asphalt parking lot of the Ratliff Landing (Old Tanners Creek Boat Ramp).

Section 15 Township 5 N Range 1 W


TO REACH:

From US 50 and the intersection of S.Tanners Creek Drive, head Southeasterly on S. Tanners Creek Drive for approximately 2,100' until you reach the terminus of said drive and the beginning of an asphalt parking lot. Continue to head in a Southerly direction for approximately 450' to concrete drive. Monument is 80' Southeasterly of concrete drive and asphalt parking lot on the Eastern side of a concrete drive.

REFERENCES:

North Az	Distance	Reference Description
148°	32.4	To the Southeastern corner of concrete apron
344°	55.0	To an existing light pole
257°	83.4	To the Northeast column of a covered shelter

REFERENCE SHEET



GIS MONUMENT
RESET L-020

CITY OF LAWRENCEBURG,
INDIANA

SURVEY CONTROL RECOVERY FORM

PROJECT DATA:		STATION: L063
Project Name:	City of Lawrenceburg	
Established By:	Land Sciences Inc.	Date Established: May 1994
HORIZONTAL DATA : Established by Global Satellite Positioning NORTH AMERICAN DATUM 1983		
Geodetic Coordinates:	Latitude 39° 6' 20.81652"	Longitude 84° 50' 59.96944"
State Plane Grid Coordinates (Indiana State Plane Coordinate System, East Zone) Northing (in metres) 1406024.218 Easting (in metres) 559835.856		
VERTICAL DATA : U.S NATIONAL OCEAN SURVEY DATUM 1929 MEAN SEA LEVEL ADJUSTMENT Note: The elevation of this station was determined by Global Positioning Satellite Surveys and is estimated to be accurate within 0.04 metres.		
Elevation:	471.620 metres	

MONUMENT DESCRIPTION :

Lawrenceburg, Dearborn County. Aluminum cap on an iron rod located at the South edge of pavement of the entrance to the County Fairgrounds.

Section 11 Township 05 N Range 01 W

TO REACH:


From the Lawrenceburg-Greendale Corporation limits at US 50 and entrance road of County Fairgrounds; West on entrance road 40 feet to station on the left (South).

REFERENCES:

North Az	Distance	Reference Description
180	31.5	Utility pole with meter
340	53.4	Utility pole with flood light
90	36	US 50 with edge pavement
305	109	Utility pole with telephone junction box.

LOG 3
RELOCATED

"HARBOR FORD SALES"



**CITY OF LAWRENCEBURG,
INDIANA**

SURVEY CONTROL RECOVERY FORM

PROJECT DATA:		STATION: L-100
Project Name:	City of Lawrenceburg	Updated by: GRW
Established by:	Land Consultants (April 2004)	Date Updated: May 2006
HORIZONTAL DATA : Established by Global Satellite Positioning NORTH AMERICAN DATUM 1983 (2006 CORS)		
Geodetic Coordinates:	Latitude 39° 06' 05.9472"	Longitude 84° 50' 48.3052"
State Plane Grid Coordinates (Indiana State Plane Coordinate System, East Zone)		
	Northing (in feet) 1404528.12	Easting (in feet) 560768.90
VERTICAL DATA : NORTH AMERICAN VERTICAL DATUM (NAVD 88 - GPS)		
Note: The elevation of this station was determined by Global Positioning Satellite Surveys and is estimated to be accurate within 0.04± feet.		
Elevation: 502.89 feet		

MONUMENT DESCRIPTION :

City of Lawrenceburg, Dearborn County. Set 48" iron re-bar in concrete with aluminum cap stamped "City of Lawrenceburg GIS Monument L-100. Monument is 0.1'± below grade. Monument is set in the center of the Lawrenceburg levee, approximately 300'± South of the entrance to Scudder Trailer Park.

Section 11 Township 5 N Range 1 W


TO REACH:

From US 50 and the intersection of Hollywood Blvd., head South on Hollywood Blvd. until you pass an entrance to the Scudder Trailer Park on the West side. Go approximately 300'± South of Scudder entrance and the monument is located 40.5'± East of the most Eastern edge of pavement of the North bound lane of Hollywood Blvd.. Monument L-100 is centered of a 10'± levee.

REFERENCES:

North Az	Distance	Reference Description
305		3rd Lampost South of Scudder entrance
222		4th Lampost South of Scudder entrance
	40.5	East edge of North Bound Lane

REFERENCE SHEET



GIS MONUMENT
L-100

This is a graphical location only as of 5/2006.

LAND CONSULTANTS
associate companies and services
 THE ENGINEERING GROUP
 THE SURVEY COMPANY
 LAND DEVELOPMENT CONSULTING
 COMMUNITY AND ECONOMIC PLANNING

314 FRONT STREET
 LAWRENCEBURG, IN 47025
 (812) 537-2145
 FAX (812) 537-4901
 OHIO (513) 385-2461
 TOLL-FREE (888) 537-2145
 WWW.LANDCONSUL.COM

**CITY OF LAWRENCEBURG,
INDIANA**

SURVEY CONTROL RECOVERY FORM

PROJECT DATA:		STATION: L-101	
Project Name:	City of Lawrenceburg	Updated by:	GRW
Established by:	Land Consultants (April 2004)	Date Updated:	May 2006
HORIZONTAL DATA : Established by Global Satellite Positioning NORTH AMERICAN DATUM 1983 (2006 CORS)			
Geodetic Coordinates:	Latitude 39° 05' 51.6609"	Longitude 84° 50' 33.7019"	
State Plane Grid Coordinates (Indiana State Plane Coordinate System, East Zone)			
	Northing (in feet) 1403093.14	Easting (in feet) 561933.22	
VERTICAL DATA : NORTH AMERICAN VERTICAL DATUM (NAVD 88 - GPS)			
Note: The elevation of this station was determined by Global Positioning Satellite Surveys and is estimated to be accurate within 0.04± feet.			
Elevation: 502.16 feet			

MONUMENT DESCRIPTION :

City of Lawrenceburg, Dearborn County. Set 48" iron re-bar in concrete with aluminum cap stamped "City of Lawrenceburg GIS Monument L-101. Monument is 0.1'± below grade. Monument is set in the center of the Lawrenceburg levee on the produced centerline of the Eastern service drive East of the Argosy Parking Garage.

Section 14 Township 5 N Range 1 W


TO REACH:

From US 50 and the intersection of Hollywood Blvd., head South on Hollywood Blvd. until you reach a service drive heading to the Southeast towards the Eastern side of the Hollywood Parking Garage. Take the service drive south until you reach a 90° bend towards the West. The monument is on the prolongation of the centerline of said service drive in the center of the Lawrenceburg Levee.

REFERENCES:

North Az	Distance	Reference Description
4	66.0	Power Pole south of CSX Tracks & at the SW corner of floodgate

REFERENCE SHEET



This is a graphical location only as of 5/2006.



GIS MONUMENT
L-101

LAND CONSULTANTS
associated companies and services
 THE ENGINEERING GROUP
 THE SURVEY COMPANY
 LAND DEVELOPMENT CONSULTING
 COMMUNITY AND ECONOMIC PLANNING

314 FRONT STREET
 LAWRENCEBURG, IN 47025
 (812) 537-2145
 FAX (812) 537-4901
 OHIO (513) 385-2461
 TOLL-FREE (888) 537-2145
 WWW.LANDCONSUL.COM

**CITY OF LAWRENCEBURG,
INDIANA**

SURVEY CONTROL RECOVERY FORM

PROJECT DATA:		STATION: L-102 (Reset)
Project Name:	City of Lawrenceburg	
Established by:	Land Consultants	Date Established: December, 2015
HORIZONTAL DATA: NORTH AMERICAN DATUM 1983 (NAD '83)		
Geodetic Coordinates:	Latitude 39° 05' 34.9360"	Longitude 84° 50' 43.2821"
State Plane Grid Coordinates (Indiana State Plane Coordinate System, East Zone 1601)		
	Northing (in feet) 1401394.181	Easting (in feet) 561193.247
VERTICAL DATA: NORTH AMERICAN VERTICAL DATUM 1988 (NAVD '88-Geoid 12b)		
Note: The elevation of this station was determined by Global Positioning Satellite Surveys and is estimated to be accurate within 0.05 feet.		
Elevation: 501.25 feet		

MONUMENT DESCRIPTION:

City of Lawrenceburg, Dearborn County. Set 60" iron re-bar in concrete with aluminum cap stamped "City of Lawrenceburg GIS Monument L-102 (Reset). Monument is 0.1'± below grade. Monument is set on the Southern side of an existing concrete walk on the Lawrenceburg Levee.

Section 14 Township 5 N Range 1 W


TO REACH:

From US 50 and the intersection of Walnut Street, head South on Walnut Street to until you reach the terminus of said street, which is located at an existing Flood Gate and the Lawrenceburg Memorial clock Tower. Monument is 570' ± Northeasterly of said terminus point and 2.3' South of the Southern edge of a concrete walk.

REFERENCES:

North Az	Distance	Reference Description
222°	30.3	To an existing lamp post
359°	31.2	To an existing lamp post
27°	102.5	To most Southern corner of a concrete ramp

REFERENCE SHEET



GIS MONUMENT
RESET L-102

**CITY OF LAWRENCEBURG,
INDIANA**

SURVEY CONTROL RECOVERY FORM

PROJECT DATA:		STATION: L-102A
Project Name:	City of Lawrenceburg	
Established by:	Land Consultants	Date Established: December, 2015
HORIZONTAL DATA: NORTH AMERICAN DATUM 1983 (NAD '83)		
Geodetic Coordinates:	Latitude 39° 05' 47.0313"	Longitude 84° 50' 39.3729"
State Plane Grid Coordinates (Indiana State Plane Coordinate System, East Zone 1601)		
	Northing (in feet) 1402620.697	Easting (in feet) 561490.382
VERTICAL DATA: NORTH AMERICAN VERTICAL DATUM 1988 (NAVD '88-Geoid 12b)		
Note: The elevation of this station was determined by Global Positioning Satellite Surveys and is estimated to be accurate within 0.05 feet.		
Elevation: 502.77 feet		

MONUMENT DESCRIPTION:

City of Lawrenceburg, Dearborn County. Set 60" iron re-bar in concrete with aluminum cap stamped "City of Lawrenceburg GIS Monument L-102A. Monument is 0.1'± below grade. Monument is set in the approximate center of the Lawrenceburg Levee.

Section 14 Township 5 N Range 1 W


TO REACH:

From US 50 (W. Eads Parkway) and the intersection of Arch Street, head Southeasterly along Arch Street until you reach the intersection of William Street. Head Northeasterly on William Street for approximately 595' and then Southeasterly for approximately 87' to the center of the Lawrenceburg Levee. The monument is located in the center of said levee and lying South of the Hollywood Hotel and Pavilion.

REFERENCES:

North Az	Distance	Reference Description
35°	51.5	To the most Southern corner of an existing electric panel box
80°	84.1	To the outside corner of an existing 24" retaining wall
213°	89.9	To an existing Force Main Air Release Valve manhole

REFERENCE SHEET



GIS MONUMENT
L-102A

**CITY OF LAWRENCEBURG,
INDIANA**

SURVEY CONTROL RECOVERY FORM

PROJECT DATA:		STATION: L-103 (Reset)
Project Name:	City of Lawrenceburg	
Established by:	Land Consultants	Date Established: December, 2015
HORIZONTAL DATA: NORTH AMERICAN DATUM 1983 (NAD '83)		
Geodetic Coordinates:	Latitude 39° 05' 13.6057"	Longitude 84° 51' 11.9271"
State Plane Grid Coordinates (Indiana State Plane Coordinate System, East Zone 1601)		
	Northing (in feet) 1399215.801	Easting (in feet) 558954.137
VERTICAL DATA: NORTH AMERICAN VERTICAL DATUM 1988 (NAVD '88-Geoid 12b)		
Note: The elevation of this station was determined by Global Positioning Satellite Surveys and is estimated to be accurate within 0.05 feet.		
Elevation: 501.18 feet		

MONUMENT DESCRIPTION:

City of Lawrenceburg, Dearborn County. Set 60" iron re-bar in concrete with aluminum cap stamped "City of Lawrenceburg GIS Monument L-103 (Reset). Monument is 0.1'± below grade. Monument is set on the Northern side of an existing concrete walk on the Lawrenceburg Levee.

Section 14 Township 5 N Range 1 W



TO REACH:

From US 50 and the intersection of Walnut Street, head South on Walnut Street to the intersection of Walnut Street and High Street. Head Westerly on W. High Street until you reach the terminus of said street. Monument is 265' ± Southeasterly of said terminus point and 2.4' North of the Northern edge of a concrete walk.

REFERENCES:

North Az	Distance	Reference Description
122°	6.7	To an existing Lamp Post
309°	35.9	To an existing Lamp Post
226°	67.3	To the Southeastern corner of a block structure (restroom)

REFERENCE SHEET



GIS MONUMENT
RESET L-103

**CITY OF LAWRENCEBURG,
INDIANA**

SURVEY CONTROL RECOVERY FORM

PROJECT DATA:		STATION: L-104	
Project Name:	City of Lawrenceburg	Updated by:	GRW
Established by:	Land Consultants (April 2004)	Date Updated:	May 2006
HORIZONTAL DATA : Established by Global Satellite Positioning NORTH AMERICAN DATUM 1983 (2006 CORS)			
Geodetic Coordinates:	Latitude 39° 05' 28.5001"	Longitude 84° 51' 22.2076"	
State Plane Grid Coordinates (Indiana State Plane Coordinate System, East Zone)			
	Northing (in feet) 1400715.48	Easting (in feet) 558130.10	
VERTICAL DATA : NORTH AMERICAN VERTICAL DATUM (NAVD 88 - GPS)			
Note: The elevation of this station was determined by Global Positioning Satellite Surveys and is estimated to be accurate within 0.04± feet.			
Elevation: 501.59 feet			

MONUMENT DESCRIPTION :

City of Lawrenceburg, Dearborn County. Set 48" iron re-bar in concrete with aluminum cap stamped "City of Lawrenceburg GIS Monument L-104. Monument is 0.1'± below grade. Monument is set in the center of the Lawrenceburg Levee.

Section 14 Township 5 N Range 1 W


TO REACH:

From US 50 and the intersection of Front Street, head South on Front Street to the intersection of Tate Street and Front Street. Monument is on the prolongation of Tate Street to the West and in the center of the Lawrenceburg Levee. Levee is located West of Front Street and on the West side of a railroad yard and truck parking lot for Seagrams.

REFERENCES:

North Az	Distance	Reference Description
230	42.0	Southeast corner of a concrete structure
32	17.0	Southwest corner of a concrete structure
143	35.6	West edge of concrete

REFERENCE SHEET



GIS MONUMENT
L-104

This is a graphical location only as of 5/2006.

LAND CONSULTANTS
INCORPORATED
MEMBER OF THE ENGINEERING GROUP
THE SURVEY COMPANY
LAND DEVELOPMENT CONSULTING
COMMUNITY AND ECONOMIC PLANNING

314 FRONT STREET
 LAWRENCEBURG, IN 47025
 (812) 537-2145
 FAX (812) 537-4901
 OHIO (513) 385-2461
 TOLL-FREE (888) 537-2145
 WWW.LANDCONSUL.COM

**CITY OF LAWRENCEBURG,
INDIANA**

SURVEY CONTROL RECOVERY FORM

PROJECT DATA:		STATION: L-105 (Reset)	
Project Name:	City of Lawrenceburg		
Established by:	Land Consultants	Date Established:	December, 2015
HORIZONTAL DATA: NORTH AMERICAN DATUM 1983 (NAD '83)			
Geodetic Coordinates:	Latitude 39° 05' 43.4876"	Longitude	84° 51' 37.5965"
State Plane Grid Coordinates (Indiana State Plane Coordinate System, East Zone 1601)			
	Northing (in feet) 1402221.015	Easting (in feet)	556903.320
VERTICAL DATA: NORTH AMERICAN VERTICAL DATUM 1988 (NAVD '88-GEOID 12b)			
Note: The elevation of this station was determined by Global Positioning Satellite Surveys and is estimated to be accurate within 0.05 feet.			
Elevation: 502.19 feet			

MONUMENT DESCRIPTION:

City of Lawrenceburg, Dearborn County. Set 60" iron re-bar in concrete with aluminum cap stamped "City of Lawrenceburg GIS Monument L-105 (Reset). Monument is 0.1'± below grade. Monument is set in the approximate center of the Lawrenceburg Levee.

Section 15 Township 5 N Range 1 W


TO REACH:

From US 50 (W. Eads Parkway) and the intersection of Front Street, head Westerly on US 50 until you reach Shipping Street. The levee is West of Shipping Street and on the South side of US 50. Monument is located near the Southern Flood Gate wall and 4.7' ± East of the Eastern face of concrete wall. Monument is also located South of the reconstructed Floodgate at US 50 and East of the Tanners Creek bridge crossing US 50.

REFERENCES:

North Az	Distance	Reference Description
205°	6.4	To the Southeastern corner of an existing concrete wall
323°	21.4	To inside corner of an existing concrete wall
88°	58.3	To an existing power pole

REFERENCE SHEET



GIS MONUMENT
RESET L-105

**CITY OF LAWRENCEBURG,
INDIANA**

SURVEY CONTROL RECOVERY FORM

PROJECT DATA:		STATION: L-107	
Project Name:	City of Lawrenceburg	Updated by:	GRW
Established by:	Land Consultants (April 2004)	Date Updated:	May 2006
HORIZONTAL DATA : Established by Global Satellite Positioning NORTH AMERICAN DATUM 1983 (2006 CORS)			
Geodetic Coordinates:	Latitude 39° 06' 07.6664"	Longitude	84° 51' 04.3727"
State Plane Grid Coordinates (Indiana State Plane Coordinate System, East Zone)			
	Northing (in feet) 1404690.65	Easting (in feet)	559500.70
VERTICAL DATA : NORTH AMERICAN VERTICAL DATUM (NAVD 88 - GPS)			
Note: The elevation of this station was determined by Global Positioning Satellite Surveys and is estimated to be accurate within 0.04± feet.			
Elevation: 501.76 feet			

MONUMENT DESCRIPTION :

City of Lawrenceburg, Dearborn County. Set 48" iron re-bar in concrete with aluminum cap stamped "City of Lawrenceburg GIS Monument L-107. Monument is 0.1'± below grade. Monument is set in the center of the Lawrenceburg Levee between the Lawrenceburg Fairgrounds and the Lawrenceburg High School.

Section 14 Township 5 N Range 1 W


TO REACH:

From US 50 and the intersection of Hollywood Blvd., head Southerly along US 50 until you reach the crest of the hill and the breach of the levee crossing US 50. Monument is located in the center of the Lawrenceburg Levee, 277'± West of the West edge of pavement of US 50 and on the prolongation of the Eastern side of the Conservancy District Maintenance Building.

REFERENCES:

North Az	Distance	Reference Description
	277.0	West of the West edge of pavement of US 50
		Prolongation of Eastern building line of Maintenance Building

REFERENCE SHEET



U.S. 50



GIS MONUMENT
L-107

This is a graphical location only as of 5/2006.



314 FRONT STREET
LAWRENCEBURG, IN 47025
(812) 537-2145
FAX (812) 537-4901
OHIO (613) 385-2451
TOLL-FREE (888) 537-2145
WWW.LANDCONSUL.COM

**CITY OF LAWRENCEBURG,
INDIANA**

SURVEY CONTROL RECOVERY FORM

PROJECT DATA:		STATION: L-108	
Project Name:	City of Lawrenceburg	Updated by:	GRW
Established by:	Land Consultants (April 2004)	Date Updated:	May 2006
HORIZONTAL DATA : Established by Global Satellite Positioning NORTH AMERICAN DATUM 1983 (2006 CORS)			
Geodetic Coordinates:	Latitude 39° 06' 25.6498"	Longitude	84° 52' 25.0424"
State Plane Grid Coordinates (Indiana State Plane Coordinate System, East Zone)			
	Northing (in feet) 1406453.80	Easting (in feet)	553125.49
VERTICAL DATA :			
NORTH AMERICAN VERTICAL DATUM (NAVD 88 – GPS)			
Note: The elevation of this station was determined by Global Positioning Satellite Surveys and is estimated to be accurate within 0.04± feet.			
Elevation: 533.98 feet			

MONUMENT DESCRIPTION :

City of Lawrenceburg, Dearborn County. Set 48" iron re-bar in concrete with aluminum cap stamped "City of Lawrenceburg GIS Monument L-108. Monument is 0.1'± below grade. Monument is located along Industrial Drive heading to Ivy Tech State College.

Section 10 Township 5 N Range 1 W


TO REACH:

From US 50 and the intersection of SR 48 (Bielby Road), head North along SR 48 (Bielby Road) until you reach Industrial Drive. Take Industrial Drive for approximately 4100'± to reach the monument. Monument is located 5.9'± East of the East edge of pavement; 62.8'± Southeast of a sanitary sewer manhole and 292.5'± South of mailbox #340 on the East side of Industrial Drive.

REFERENCES:

North Az	Distance	Reference Description
330	292.5	Mailbox # 340
10	18	Large Wooden Post
87	15.7	Large Wooden Post

REFERENCE SHEET



This is a graphical location only as of 5/2006.



GIS MONUMENT
L-108

LAND CONSULTANTS
surveying company and services
 THE ENGINEERING GROUP
 THE SURVEY COMPANY
 LAND DEVELOPMENT CONSULTING
 COMMUNITY AND ECONOMIC PLANNING

314 FRONT STREET
 LAWRENCEBURG, IN 47025
 (812) 537-2145
 FAX (812) 537-4901
 OHIO (513) 385-2451
 TOLL-FREE (888) 537-2145
 WWW.LANDCONSUL.COM

**CITY OF LAWRENCEBURG,
INDIANA**

SURVEY CONTROL RECOVERY FORM

PROJECT DATA:	STATION: L-109
Project Name: City of Lawrenceburg	
Established by: Land Consultants (April 2004)	Date Updated: May 2006 by GRW
HORIZONTAL DATA : Established by Global Satellite Positioning NORTH AMERICAN DATUM 1983 (2006 CORS)	
Geodetic Coordinates:	Latitude 39° 06' 39.5308" Longitude 84° 52' 35.3369"
State Plane Grid Coordinates (Indiana State Plane Coordinate System, East Zone)	
Northing (in feet) 1407851.11	Easting (in feet) 552301.79
VERTICAL DATA : NORTH AMERICAN VERTICAL DATUM (NAVD 88 - GPS)	
Note: The elevation of this station was determined by Global Positioning Satellite Surveys and is estimated to be accurate within 0.08 feet.	
Elevation: 545.03 feet	

MONUMENT DESCRIPTION :

City of Lawrenceburg, Dearborn County. Set 48" iron re-bar in concrete with aluminum cap stamped "City of Lawrenceburg GIS Monument L-109. Monument is 0.1'± below grade. Monument is located along Industrial Drive heading to Ivy Tech State College.

Section 10 Township 5 N Range 1 W


TO REACH:

From US 50 and the intersection of SR 48 (Bielby Road), head North along SR 48 (Bielby Road) until you reach Industrial Drive. Take Industrial Drive for approximately 5800'± to reach the monument. Monument is located at the Southeast corner of Industrial Drive and Charles A. Liddle Drive. Monument is also located East of the East curb of Industrial Drive; South of the South curb of Charles A. Liddle Drive; 22'± North of a Gas Valve Box and 21'± West of a Steel Power Pole.

REFERENCES:

North Az	Distance	Reference Description
230	51.4	Wooden Power Pole
104	21	Steel Power Pole
180	22	Gas Valve Box

REFERENCE SHEET



This is a graphical location only as of 5/2006.



GIS MONUMENT
L-109

LAND
CONSULTANTS
consulting companies and services
THE ENGINEERING GROUP
THE SURVEY COMPANY
LAND DEVELOPMENT CONSULTING
COMMUNITY AND ECONOMIC PLANNING

314 FRONT STREET
LAWRENCEBURG, IN 47025
(812) 537-2145
FAX (812) 537-4801
OHIO (513) 385-2461
TOLL-FREE (888) 537-2145
WWW.LANDCONSUL.COM

**CITY OF LAWRENCEBURG,
INDIANA**

SURVEY CONTROL RECOVERY FORM

PROJECT DATA:		STATION: L-110
Project Name:	City of Lawrenceburg	
Established by:	Land Consultants	Date Established: January 2004 (Revised coordinates & elevation December, 2015)
HORIZONTAL DATA: NORTH AMERICAN DATUM 1983 (NAD '83)		
Geodetic Coordinates:	Latitude 39° 05' 12.9784"	Longitude 84° 52' 42.2771"
State Plane Grid Coordinates (Indiana State Plane Coordinate System, East Zone 1601)		
	Northing (in feet) 1399089.552	Easting (in feet) 551830.734
VERTICAL DATA: NORTH AMERICAN VERTICAL DATUM 1988 (NAVD '88-Geoid 12b)		
Note: The elevation of this station was determined by Global Positioning Satellite Surveys and is estimated to be accurate within 0.05 feet.		
Elevation: 488.35 feet		

MONUMENT DESCRIPTION:

City of Lawrenceburg, Dearborn County. Set 48" iron re-bar in concrete with aluminum cap stamped "City of Lawrenceburg GIS Monument L-110. Monument is 0.1'± below grade. Monument is located at the most Southern corner of the U.D.F (United Dairy Farmers) store at the corner of US 50 and Tanners Creek Drive.

Section 21 Township 5 N Range 1 W


TO REACH:

From US 50 and the intersection of SR 48 (Bielby Road), head Southwesterly on US 50 approximately one mile to the intersection of US 50 and Tanners Creek Drive. Monument is located at the North corner of US 50 and Tanners Creek Drive. Monument is also located 3'± Northerly of top slope; 6.5'± Northwesterly of the Eastern top of slope and 26.7'± West of a steel strain pole.

REFERENCES:

North Az	Distance	Reference Description
	3	Southern Top of Slope
	6.5	Eastern Top of Slope
	13.7	Southwesterly Sign Base
	26.7	West of Steel Strain Pole

REFERENCE SHEET




TANNERS CREEK DR.

STEAK 'N SHAKE

MC DONALDS

HIGHWAY 50 \ EADS PARKWAY



GIS MONUMENT
L-110

**CITY OF LAWRENCEBURG,
INDIANA**

SURVEY CONTROL RECOVERY FORM

PROJECT DATA:		STATION: L-111	
Project Name:	City of Lawrenceburg	Updated by:	GRW
Established by:	Land Consultants (April 2004)	Date Updated:	May 2006
HORIZONTAL DATA : Established by Global Satellite Positioning NORTH AMERICAN DATUM 1983 (2006 CORS)			
Geodetic Coordinates:	Latitude 39° 04' 55.9065"	Longitude	84° 52' 55.5964"
State Plane Grid Coordinates (Indiana State Plane Coordinate System, East Zone)			
	Northing (in feet) 1397353.25	Easting (in feet)	550795.44
VERTICAL DATA : NORTH AMERICAN VERTICAL DATUM (NAVD 88 - GPS)			
Note: The elevation of this station was determined by Global Positioning Satellite Surveys and is estimated to be accurate within 0.04± feet.			
Elevation: 488.21 feet			

MONUMENT DESCRIPTION :

City of Lawrenceburg, Dearborn County. Set 48" iron re-bar in concrete with aluminum cap stamped "City of Lawrenceburg GIS Monument L-111. Monument is 0.1'± below grade. Monument is located at the Northwestern corner of the "Golden Corral" parking lot.

Section 21 Township 5 N Range 1 W

TO REACH:

From US 50 and the intersection of SR 48 (Bielby Road), head Southwesterly on US 50 approximately 1.4 miles to "Golden Corral" restaurant. Monument is located South of US 50 and Westerly of said parking lot; 22.3'± Northerly of a catch basin; 44.5'± Easterly of a fire hydrant and 8.2'± West of a light pole base with a diameter of 2.5'.


REFERENCES:

North Az	Distance	Reference Description
	22.3	Center of Catch Basin
	44.5	Fire Hydrant
	8.2	Light Pole w/2.5' Diameter Base
	10.8	Corner Back of Curb

REFERENCE SHEET



U.S. 50



GIS MONUMENT
L-111

This is a graphical location only as of 5/2006.

LAND CONSULTANTS
associated companies and services
 THE ENGINEERING GROUP
 THE SURVEY COMPANY
 LAND DEVELOPMENT CONSULTING
 COMMUNITY AND ECONOMIC PLANNING

314 FRONT STREET
 LAWRENCEBURG, IN 47025
 (812) 537-2145
 FAX (812) 537-4901
 OHIO (513) 385-2451
 TOLL-FREE (888) 537-2145
 WWW.LANDCONSUL.COM

**CITY OF LAWRENCEBURG,
INDIANA**

SURVEY CONTROL RECOVERY FORM

PROJECT DATA:		STATION: L-112	
Project Name:	City of Lawrenceburg	Updated by:	GRW
Established by:	Land Consultants (April 2004)	Date Updated:	May 2006
HORIZONTAL DATA : Established by Global Satellite Positioning NORTH AMERICAN DATUM 1983 (2006 CORS)			
Geodetic Coordinates:	Latitude 39° 04' 42.8898"	Longitude	84° 53' 24.8957"
State Plane Grid Coordinates (Indiana State Plane Coordinate System, East Zone)			
	Northing (in feet) 1396016.46	Easting (in feet)	548496.33
VERTICAL DATA : NORTH AMERICAN VERTICAL DATUM (NAVD 88 - GPS)			
Note: The elevation of this station was determined by Global Positioning Satellite Surveys and is estimated to be accurate within 0.04± feet.			
Elevation: 526.23 feet			

MONUMENT DESCRIPTION :

City of Lawrenceburg, Dearborn County. Set 48" iron re-bar in concrete with aluminum cap stamped "City of Lawrenceburg GIS Monument L-112. Monument is 0.1'± below grade. Monument is located at the Southern parking lot of the Wal-Mart store.

Section 21 Township 5 N Range 1 W


TO REACH:

From US 50 and the intersection of SR 48 (Bielby Road), head Southwesterly on US 50 approximately 1.9 miles to the drive entrance between former Bob Evans and Taco Bell. Head North on drive entrance to the toe of slope; head Westerly on drive to Wal-Mart parking lot (1st drive entrance). Monument is 8.1'± South of the Northern back of curb; 14'± North of the most Southern corner of said parking lot; 54.3'± Southwest of a light pole and 118'± Northeast of a light pole.

REFERENCES:

North Az	Distance	Reference Description
	54.3	Light Pole
	118	Light Pole
	14	Corner Back of Curb
	8.1	South of Back of Curb

REFERENCE SHEET



GIS MONUMENT
L-112

This is a graphical location only as of 5/2006.

LAND CONSULTANTS
The Engineering Group
The Survey Company
LAND DEVELOPMENT CONSULTING
COMMUNITY AND ECONOMIC PLANNING

314 FRONT STREET
LAWRENCEBURG, IN 47025
(812) 537-2145
Fax (812) 537-4901
OHIO (513) 385-2451
TOLL-FREE (888) 537-2145
WWW.LANDCONSUL.COM

**CITY OF LAWRENCEBURG,
INDIANA**

SURVEY CONTROL RECOVERY FORM

PROJECT DATA:		STATION: RESET L-115
Project Name:	City of Lawrenceburg	Updated by: GRW May 2006
Established by:	Land Consultants	Date Established: January 2004
HORIZONTAL DATA : Established by Global Satellite Positioning NORTH AMERICAN DATUM 1983 (2006 CORS)		
Geodetic Coordinates:	Latitude 39° 06' 33.5913"	Longitude 84° 53' 06.2909"
State Plane Grid Coordinates (Indiana State Plane Coordinate System, East Zone)		
	Northing (in feet) 1407229.08	Easting (in feet) 549867.12
VERTICAL DATA : NORTH AMERICAN VERTICAL DATUM (NAVD 88 - GPS)		
Note: The elevation of this station was determined by Global Positioning Satellite Surveys and is estimated to be accurate within 0.04± feet.		
Elevation: 822.74 feet		

MONUMENT DESCRIPTION :

City of Lawrenceburg, Dearborn County. Set 36" concrete monument with brass insert stamped Reset L-115. Monument is flush with grade. Monument is located 485'± South of the intersection of Wilson Creek Road and Nelson Road.

Section 9 Township 5 N Range 1 W


TO REACH:

From the intersection of Wilson Creek Road and Nelson Road, head South on Nelson Road for approximately 485'± to reset monument L-115 located on the West side of Nelson Road. Monument is located Southeasterly of House #106; 7.5'± West of the West back of curb; 17'± south of a fire hydrant and 46.5'± Northeast of House #108.

REFERENCES:

North Az	Distance	Reference Description
	7.5	West of West back of curb
	17	Fire Hydrant
	46.5	House #108

REFERENCE SHEET



This is a graphical location only as of 5/2006.



GIS MONUMENT RESET L-115



associated companies and services
THE ENGINEERING GROUP
THE SURVEY COMPANY
LAND DEVELOPMENT CONSULTING
COMMUNITY AND ECONOMIC PLANNING

314 FRONT STREET
LAWRENCEBURG, IN 47025
(812) 537-2145
FAX (812) 537-4901
OHIO (513) 385-2461
TOLL-FREE (888) 537-2145
WWW.LANDCONSUL.COM

**CITY OF LAWRENCEBURG,
INDIANA**

SURVEY CONTROL RECOVERY FORM

PROJECT DATA:		STATION: L-116	
Project Name:	City of Lawrenceburg	Updated by:	GRW
Established by:	Land Consultants (April 2004)	Date Updated:	May 2006
HORIZONTAL DATA : Established by Global Satellite Positioning NORTH AMERICAN DATUM 1983 (2006 CORS)			
Geodetic Coordinates:	Latitude 39° 06' 41.8094"	Longitude	84° 53' 04.4387"
State Plane Grid Coordinates (Indiana State Plane Coordinate System, East Zone)			
	Northing (in feet) 1408061.79	Easting (in feet)	550005.95
VERTICAL DATA : NORTH AMERICAN VERTICAL DATUM (NAVD 88 - GPS)			
Note: The elevation of this station was determined by Global Positioning Satellite Surveys and is estimated to be accurate within 0.04± feet.			
Elevation: 845.65 feet			

MONUMENT DESCRIPTION :

City of Lawrenceburg, Dearborn County. Set 48" iron re-bar in concrete with aluminum cap stamped "City of Lawrenceburg GIS Monument L-116. Monument is 0.1'± below grade. Monument is located on Wilson Creek Road approximately 300'± South of SR 48 (Bielby Road).

Section 9 Township 5 N Range 1 W



TO REACH:

From SR 48 (Bielby Road) and the intersection of Wilson Creek Road, head South on Wilson Creek Road approximately 300'± to monument L-116 located 5' East of the East edge of pavement. Monument is 15.3'± North of a power pole with light; 36.8'± East of a strain pole and 33.8'± Southeast of a manhole in Wilson Creek Road.

REFERENCES:

North Az	Distance	Reference Description
	5	East of East edge of pavement
167	15.3	Power Pole with Light
287	36.8	Strain Pole
337	33.8	Manhole

REFERENCE SHEET



This is a graphical location only as of 5/2006.



GIS MONUMENT L-116

LAND CONSULTANTS
LAND DEVELOPMENT CONSULTING
COMMUNITY AND ECONOMIC PLANNING

314 FRONT STREET
LAWRENCEBURG, IN 47025
(812) 537-2145
FAX (812) 537-4901
OHIO (513) 385-2461
TOLL-FREE (888) 537-2145
WWW.LANDCONSUL.COM

**CITY OF LAWRENCEBURG,
INDIANA**

SURVEY CONTROL RECOVERY FORM

PROJECT DATA:		STATION: L-117	
Project Name:	City of Lawrenceburg	Updated by:	GRW
Established by:	Land Consultants (April 2004)	Date Updated:	May 2006
HORIZONTAL DATA : Established by Global Satellite Positioning NORTH AMERICAN DATUM 1983 (2006 CORS)			
Geodetic Coordinates:	Latitude 39° 07' 02.1463"	Longitude 84° 53' 18.8301	
State Plane Grid Coordinates (Indiana State Plane Coordinate System, East Zone)			
	Northing (in feet) 1410109.61	Easting (in feet) 548853.98	
VERTICAL DATA : NORTH AMERICAN VERTICAL DATUM (NAVD 88 - GPS)			
Note: The elevation of this station was determined by Global Positioning Satellite Surveys and is estimated to be accurate within 0.04± feet.			
Elevation: 786.61 feet			

MONUMENT DESCRIPTION :

City of Lawrenceburg, Dearborn County. Set 48" iron re-bar in concrete with aluminum cap stamped "City of Lawrenceburg GIS Monument L-117. Monument is 0.1'± below grade. Monument is located at the Northwest corner of the intersection of Randy Avenue and Hardwood Ridge.

Section 9 Township 5 N Range 1 W


TO REACH:

From SR 48 (Bielby Road) and the intersection of Randy Avenue, head Southwesterly on Randy Avenue to the intersection of Randy Avenue and Hardwood Ridge. Monument is located at the Northwest corner of said intersection. Monument is also located 54.7'± Northwest of a fire hydrant; 49.5'± Northeasterly from the East edge of a concrete drive to House #159 and 76'± Southeast from the Northeast corner of House #159.

REFERENCES:

North Az	Distance	Reference Description
117	54.7	Fire Hydrant
235	49.5	East edge of concrete driveway to House #159
296	76	Northeast corner of House #159

REFERENCE SHEET



GIS MONUMENT
L-117

This is a graphical location only as of 5/2006.

LAND CONSULTANTS
314 FRONT STREET
LAWRENCEBURG, IN 47025
(812) 537-2145
FAX (812) 537-4901
OHIO (513) 385-2461
TOLL-FREE (888) 537-2145
www.LANDCONSUL.COM

associated companies and services
THE ENGINEERING GROUP
THE SURVEY COMPANY
LAND DEVELOPMENT CONSULTING
COMMUNITY AND ECONOMIC PLANNING

**CITY OF LAWRENCEBURG,
INDIANA**

SURVEY CONTROL RECOVERY FORM

PROJECT DATA:		STATION: RESET L-118
Project Name:	City of Lawrenceburg	Updated by: GRW May 2006
Established by:	Land Consultants	Date Established: January 2004
HORIZONTAL DATA : Established by Global Satellite Positioning NORTH AMERICAN DATUM 1983 (2006 CORS)		
Geodetic Coordinates:	Latitude 39° 07' 14.0732"	Longitude 84° 52' 58.0405"
State Plane Grid Coordinates (Indiana State Plane Coordinate System, East Zone)		
	Northing (in feet) 1411330.39	Easting (in feet) 550482.09
VERTICAL DATA : NORTH AMERICAN VERTICAL DATUM (NAVD 88 - GPS)		
Note: The elevation of this station was determined by Global Positioning Satellite Surveys and is estimated to be accurate within 0.04± feet.		
Elevation: 834.27 feet		

MONUMENT DESCRIPTION :

City of Lawrenceburg, Dearborn County. Set 36" concrete monument with brass insert stamped Reset L-118. Monument is flush with grade. Monument is located at the Western corner of the intersection of SR 48 (Bielby Road) and Village Drive.

Section 4 Township 5 N Range 1 W

TO REACH:

At the intersection of SR 48 (Bielby Road) and Village Drive. Monument Reset L-118 is located in a grass island Northeast of the Ludlow Hill Supermarket. Monument is 14.5'± South of the South back of curb of Village Drive; 48.3'± Northwest of a sign pole; 1.3'± Northwest of the Northwest corner of a catch basin and 16.35'± Southeast of a R/W monument.

REFERENCES:


North Az	Distance	Reference Description
	14.5	South of South Back of Curb
	48.3	Sign Pole
	1.3	Northwest corner of Catch Basin
	16.35	Center of R/W Monument

REFERENCE SHEET



VILLAGE DRIVE

BACK OF CURB



CATCH
BASIN
(NW CORNER)

SIGN
POLE
(NW BOLT)

S.R. 48 (BIELBY ROAD)

LUDLOW
HILL
SUPERMARKET



GIS MONUMENT
RESET L-118

This is a graphical location only as of 5/2006.

LAND
CONSULTANTS
CONSULTING COMPANY OF MEMBERS
THE ENGINEERING GROUP
THE SURVEY COMPANY
LAND DEVELOPMENT CONSULTING
COMMUNITY AND ECONOMIC PLANNING

314 FRONT STREET
LAWRENCEBURG, IN 47025
(812) 537-2145
FAX (812) 537-4901
CHGO (513) 385-2451
TOLL-FREE (888) 537-2145
WWW.LANDCONSUL.COM

**CITY OF LAWRENCEBURG,
INDIANA**

SURVEY CONTROL RECOVERY FORM

PROJECT DATA:		STATION: RESET L-119
Project Name:	City of Lawrenceburg	Updated by: GRW May 2006
Established by:	Land Consultants	Date Established: January 2004
HORIZONTAL DATA : Established by Global Satellite Positioning NORTH AMERICAN DATUM 1983 (2006 CORS)		
Geodetic Coordinates:	Latitude 39° 07' 32.4687"	Longitude 84° 53' 09.2900"
State Plane Grid Coordinates (Indiana State Plane Coordinate System, East Zone)		
	Northing (in feet) 1413183.90	Easting (in feet) 549579.50
VERTICAL DATA : NORTH AMERICAN VERTICAL DATUM (NAVD 88 - GPS)		
Note: The elevation of this station was determined by Global Positioning Satellite Surveys and is estimated to be accurate within 0.04± feet.		
Elevation: 872.82 feet		

MONUMENT DESCRIPTION :

City of Lawrenceburg, Dearborn County. Set 36" concrete monument with brass insert stamped Reset L-005. Monument is flush with grade. Monument is located at the Northwest corner of SR 48 (Bielby Road) and Pribble Circle.

Section 4 Township 5 N Range 1 W


TO REACH:

From Wilson Creek Road and the intersection of SR 48 (Bielby Road), head Northwesterly on SR 48 approximately 1.1 miles to Pribble Circle. Monument is located at the Northwest corner of SR 48 (Bielby Road) and Pribble Circle. Monument is 0.9'± West of the West back of curb of Pribble Circle; 31.5'± North of a power pole w/light; 119.5'± Northeast of a power pole w/light and 107.5'± Southeast of the Southeast corner of House #921.

REFERENCES:

North Az	Distance	Reference Description
	0.9	West of West Back of Curb
213	31.5	Power Pole w/Light
295	119.5	Power Pole w/Light
348	107.5	Southeast corner House #921

REFERENCE SHEET



GIS MONUMENT
RESET L-119

This is a graphical location only as of 5/2006.

LAND CONSULTANTS
subsidiary companies and services
 THE ENGINEERING GROUP
 THE SURVEY COMPANY
 LAND DEVELOPMENT CONSULTING
 COMMUNITY AND ECONOMIC PLANNING

314 FRONT STREET
 LAWRENCEBURG, IN 47025
 (812) 537-2145
 FAX (812) 537-4901
 OHIO (513) 385-2451
 TOLL-FREE (888) 537-2145
 WWW.LANDCONSUL.COM

**CITY OF LAWRENCEBURG,
INDIANA**

SURVEY CONTROL RECOVERY FORM

PROJECT DATA:		STATION: RESET L-120	
Project Name:	City of Lawrenceburg	Updated by:	GRW May 2006
Established by:	Land Consultants	Date Established:	January 2004
HORIZONTAL DATA : Established by Global Satellite Positioning NORTH AMERICAN DATUM 1983 (2006 CORS)			
Geodetic Coordinates:	Latitude 39° 07' 28.0812"	Longitude	84° 53' 45.7486"
State Plane Grid Coordinates (Indiana State Plane Coordinate System, East Zone)			
	Northing (in feet) 1412715.45	Easting (in feet)	546710.14
VERTICAL DATA : NORTH AMERICAN VERTICAL DATUM (NAVD 88 - GPS)			
Note: The elevation of this station was determined by Global Positioning Satellite Surveys and is estimated to be accurate within 0.04± feet.			
Elevation: 858.97 feet			

MONUMENT DESCRIPTION :

City of Lawrenceburg, Dearborn County. Set 36" concrete monument with brass insert stamped Reset L-005. Monument is flush with grade. Monument is located on the East side of Butler Drive and Southwest of House #101 Butler Drive.

Section 5 Township 5 N Range 1 W

TO REACH:


From Wilson Creek Road and the intersection of SR 48 (Bielby Road), head Northwesterly on SR 48 approximately 1.6 miles to Butler Drive. Head South on Butler Drive where monument is located on the East side of Butler Drive. Monument is 5.2'± East of the East back of curb; 9.5'± Northeast to a service pole; 60.5'± Southeast to the Northwest corner of House #103 and 72'± Northwest to a power pole with light and an electric meter.

REFERENCES:

North Az	Distance	Reference Description
	5.2	East of East back of curb
50	9.5	Service Pole
120	60.5	Northwest corner of House #103
328	72	Power Pole with Light and Electric Meter

REFERENCE SHEET

SR 48 (BIELBY ROAD)



GIS MONUMENT
RESET L-120

This is a graphical location only as of 5/2006.

LAND CONSULTANTS
associated companies and services
 THE ENGINEERING GROUP
 THE SURVEY COMPANY
 LAND DEVELOPMENT CONSULTING
 COMMUNITY AND ECONOMIC PLANNING

314 FRONT STREET
 LAWRENCEBURG, IN 47025
 (812) 537-2145
 FAX (812) 537-4901
 OHIO (513) 385-2451
 TOLL-FREE (888) 537-2145
 WWW.LANDCONSUL.COM

**CITY OF LAWRENCEBURG,
INDIANA**

SURVEY CONTROL RECOVERY FORM

PROJECT DATA:		STATION: L-121	
Project Name:	City of Lawrenceburg	Updated by:	GRW
Established by:	Land Consultants (April 2004)	Date Updated:	May 2006
HORIZONTAL DATA : Established by Global Satellite Positioning NORTH AMERICAN DATUM 1983 (2006 CORS)			
Geodetic Coordinates:	Latitude 39° 07' 18.1314"	Longitude	84° 53' 47.8521"
State Plane Grid Coordinates (Indiana State Plane Coordinate System, East Zone)			
	Northing (in feet) 1411707.38	Easting (in feet)	546552.90
VERTICAL DATA : NORTH AMERICAN VERTICAL DATUM (NAVD 88 – GPS) Note: The elevation of this station was determined by Global Positioning Satellite Surveys and is estimated to be accurate within 0.04± feet.			
Elevation: 844.85 feet			

MONUMENT DESCRIPTION :

City of Lawrenceburg, Dearborn County. Set 48" iron re-bar in concrete with aluminum cap stamped "City of Lawrenceburg GIS Monument L-121. Monument is 0.1'± below grade. Monument is located at the Northeast corner of Butler Drive and Butler Court.

Section 5 Township 5 N Range 1 W


TO REACH:

From Wilson Creek Road and the intersection of SR 48 (Bielby Road), head Northwesterly on SR 48 approximately 1.6 miles to Butler Drive. Head South on Butler Drive to the intersection of Butler Drive and Butler Court. Monument is located at the Northeast corner of Butler Drive and Butler Court. Monument is 4'± Southwest to back of curb; 25'± Northeast to a 10" Bradford Pear tree; 62'± South to a fire hydrant and 46.8'± Southwest to an existing manhole.

REFERENCES:

North Az	Distance	Reference Description
	4	Southwest to back of curb
52	25	10" Bradford Pear tree
180	62	Fire Hydrant
275	46.8	Existing Manhole

REFERENCE SHEET



GIS MONUMENT
L-121

This is a graphical location only as of 5/2006.

LAND CONSULTANTS
associated companies and services
 THE ENGINEERING GROUP
 THE SURVEY COMPANY
 LAND DEVELOPMENT CONSULTING
 COMMUNITY AND ECONOMIC PLANNING

314 FRONT STREET
 LAWRENCEBURG, IN 47025
 (812) 537-2145
 FAX (812) 537-4901
 OHIO (513) 385-2461
 TOLL-FREE (888) 537-2145
 WWW.LANDCONSUL.COM

**CITY OF LAWRENCEBURG,
INDIANA**

SURVEY CONTROL RECOVERY FORM

PROJECT DATA:		STATION: L-125
Project Name:	City of Lawrenceburg	
Established by:	Land Consultants	Date Established: December, 2015
HORIZONTAL DATA: NORTH AMERICAN DATUM 1983 (NAD '83)		
Geodetic Coordinates:	Latitude 39° 04' 45.0982"	Longitude 84° 52' 19.9451"
State Plane Grid Coordinates (Indiana State Plane Coordinate System, East Zone 1601)		
	Northing (in feet) 1396284.157	Easting (in feet) 553616.240
VERTICAL DATA: NORTH AMERICAN VERTICAL DATUM 1988 (NAVD '88-Geoid 12b)		
Note: The elevation of this station was determined by Global Positioning Satellite Surveys and is estimated to be accurate within 0.05 feet.		
Elevation: 476.18 feet		

MONUMENT DESCRIPTION:

City of Lawrenceburg, Dearborn County. Set 60" iron re-bar in concrete with aluminum cap stamped "City of Lawrenceburg GIS Monument L-125. Monument is 0.1± below grade and 1.9' North of the Northern edge of pavement of the Aurora-Lawrenceburg Bike Trail. Monument also being located on the projected Southern edge of the existing pedestrian bridge to the East.

Section 15 Township 5 N Range 1 W


TO REACH:

From US 50 and the intersection of S. Tanners Creek Drive, head Southeasterly on S. Tanners Creek Drive for approximately 2,100' until you reach the terminus of said drive and the beginning of an asphalt parking lot. Continue to head in a Southerly direction for approximately 1370' to the monument. Monument is located West of Tanners Creek, South of the CSX railroad track, and North of an AEP conveyor/pipe line.

REFERENCES:

North Az	Distance	Reference Description
233°	32.6	To a set MAG Nail in the center of the asphalt bike path
52°	34.5	To a set MAG Nail in the Southern face of a 27" tree (5' N. of N. EP)
59°	220.2	To the Southwest corner of a wing wall on the West side of bridge

REFERENCE SHEET



GIS MONUMENT
L-125

**CITY OF LAWRENCEBURG,
INDIANA**

SURVEY CONTROL RECOVERY FORM

PROJECT DATA:		STATION: L-126
Project Name:	City of Lawrenceburg	
Established by:	Land Consultants	Date Established: December, 2015
HORIZONTAL DATA: NORTH AMERICAN DATUM 1983 (NAD '83)		
Geodetic Coordinates:	Latitude 39° 04' 37.2124"	Longitude 84° 52' 31.5953"
State Plane Grid Coordinates (Indiana State Plane Coordinate System, East Zone 1601)		
	Northing (in feet) 1395478.313	Easting (in feet) 552704.489
VERTICAL DATA: NORTH AMERICAN VERTICAL DATUM 1988 (NAVD '88-Geoid 12b)		
Note: The elevation of this station was determined by Global Positioning Satellite Surveys and is estimated to be accurate within 0.05 feet.		
Elevation: 476.06 feet		

MONUMENT DESCRIPTION:

City of Lawrenceburg, Dearborn County. Set 60" iron re-bar in concrete with aluminum cap stamped "City of Lawrenceburg GIS Monument L-126. Monument is 0.1'± below grade and 1.2' South of the Southern edge of pavement (12-feet in width) of the Aurora-Lawrenceburg Bike Trail.

Section 15 Township 5 N Range 1 W


TO REACH:

From US 50 and the intersection of Golden Drive, head Southeasterly on Golden Drive to the cul-de-sac, which then turns into a gravel service road. From the cul-de-sac continue Southeasterly along the gravel service drive for approximately 2380' the CSX railroad track, continue Southeasterly for approximately 150' to monument location.

REFERENCES:

North Az	Distance	Reference Description
129°	4.5	To an existing chain link fence
345°	52.7	To an existing power pole
232°	99.0	To the Southeast corner of a concrete bike tunnel

REFERENCE SHEET



GIS MONUMENT
L-126

**CITY OF LAWRENCEBURG,
INDIANA**

SURVEY CONTROL RECOVERY FORM

PROJECT DATA:		STATION: L-127
Project Name:	City of Lawrenceburg	
Established by:	Land Consultants	Date Established: December, 2015
HORIZONTAL DATA: NORTH AMERICAN DATUM 1983 (NAD '83)		
Geodetic Coordinates:	Latitude 39° 05' 10.6121"	Longitude 84° 53' 35.2288"
State Plane Grid Coordinates (Indiana State Plane Coordinate System, East Zone 1601)		
	Northing (in feet) 1398814.263	Easting (in feet) 547657.611
VERTICAL DATA: NORTH AMERICAN VERTICAL DATUM 1988 (NAVD '88-Geoid 12b)		
Note: The elevation of this station was determined by Global Positioning Satellite Surveys and is estimated to be accurate within 0.05 feet.		
Elevation: 565.10 feet		

MONUMENT DESCRIPTION:

City of Lawrenceburg, Dearborn County. Set 60" iron re-bar in concrete with aluminum cap stamped "City of Lawrenceburg GIS Monument L-127. Monument is 0.1± below grade and 3' East of the Eastern edge of pavement of Sycamore Estates Drive.

Section 15 Township 5 N Range 1 W

TO REACH:


From US 50 and the intersection of Sycamore Estates Drive, head Northerly on Sycamore Estates Drive (passing a Wal-Mart Store to the East) for approximately 3570' to the location of the monument on the Eastern side of Sycamore Estates Drive. Monument is also located South of Sycamore Estates Drive heading in an Easterly direction.

REFERENCES:

North Az	Distance	Reference Description
48°	32.3	To the center line of a catch at the back of curb
89°	67.5	To the center of an existing manhole
313°	84.9	To the center of an existing sanitary manhole

REFERENCE SHEET

SYCAMORE ESTATES DRIVE



GIS MONUMENT
L-127

**CITY OF LAWRENCEBURG,
INDIANA**

SURVEY CONTROL RECOVERY FORM

PROJECT DATA:		STATION: L-128
Project Name:	City of Lawrenceburg	
Established by:	Land Consultants	Date Established: December, 2015
HORIZONTAL DATA: NORTH AMERICAN DATUM 1983 (NAD '83)		
Geodetic Coordinates:	Latitude 39° 05' 09.8900"	Longitude 84° 53' 12.4409"
State Plane Grid Coordinates (Indiana State Plane Coordinate System, East Zone 1601)		
	Northing (in feet) 1398756.564	Easting (in feet) 549455.050
VERTICAL DATA: NORTH AMERICAN VERTICAL DATUM 1988 (NAVD '88-Geoid 12b)		
Note: The elevation of this station was determined by Global Positioning Satellite Surveys and is estimated to be accurate within 0.05 feet.		
Elevation: 666.72 feet		

MONUMENT DESCRIPTION:

City of Lawrenceburg, Dearborn County. Set 60" iron re-bar in concrete with aluminum cap stamped "City of Lawrenceburg GIS Monument L-128. Monument is 0.1'± below grade and 3.3' North of the existing back of curb and terminus of Florence Drive.

Section 15 Township 5 N Range 1 W


TO REACH:

From US 50 and the intersection of Florence Drive, head Northerly on Florence Drive for approximately 2650' to the location of the monument on the Northern side of Florence Drive (48'± Northeasterly of the center of the cul-de-sac).

REFERENCES:

North Az	Distance	Reference Description
125°	11.0	To the center of an existing water valve
115°	13.7	To the center of an existing fire hydrant
309°	15.6	To the center of an existing sanitary manhole

REFERENCE SHEET



GIS MONUMENT
L-128